



JIS G3106 SM570 carbon and low alloy steel pipe

JIS G3106 SM570 carbon and low alloy steel pipe steel plate can be supplied by us with good quality and good price.

JIS G3106 SM570 steel pipe belongs to carbon and low alloy steel pipe, we have a long history in supplying JIS G3106 SM570 carbon and low alloy steel pipe.

The application of JIS G3106 SM570 carbon and low alloy steel pipe:

JIS G3106 SM570 Steel pipe are used in Construction of Bridges, Highway Construction and Other Engineering construction

JIS G3106 SM570 steel Chemical Composition						
Grade	The Element Max (%)					
	C	Si	Mn	P	S	Cu (min)
SM570	0.18	0.55	1.70	0.035	0.035	-

Carbon Equivalent: $C_{eq} = \frac{C + Mn}{6} + \frac{Cr + Mo + V}{5} + \frac{Ni + Cu}{15}$

Grade	JIS G3106 SM570 steel Mechanical Property			
	Thickness	Yield	Tensile	Elongation
SM570	mm	Min Mpa	Mpa	Min %
	$t \leq 16$	460	570-720	19
	$16 < t \leq 90$	420-450	570-720	2

About the more accurate Chemical composition, mechanical properties of JIS G3106 SM570 carbon and low alloy steel pipe, we can supply if you want to know, and there is a service in our website to answer your different problem of JIS G3106 SM570 carbon and low alloy steel pipe.

The other condition of JIS G3106 SM570 carbon and low alloy steel pipe:

- JIS G3106 SM570 carbon and low alloy steel pipe will need 30-40 days time to your country. And it has a fast delivery time if it is stock product.
- The packing is according to your need of JIS G3106 SM570 carbon and low alloy steel pipe
- The payment of JIS G3106 SM570 carbon and low alloy steel pipe, can be by T/T Or other term which is suitable for us.

JIS G3106 SM570 carbon and low alloy steel pipe specification :

OD: 10.3mm-965.2mm

Wall thickness 1.0mm-120mm

Length: 5-12m

MOQ: 10 Metric Tons

ERW pipe specification;

OD 10.3mm-660mm,

Wall thickness 1.0-16mm

SSAW Pipe specification:

OD 219.1mm-3500mm

Wall thickness 3.2mm-25.4mm

LSAW Pipe specification:

Office Address: Room 301, Unit 6, Lane 2500, Xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com
Tel: 0086-21-61182423

OD 406mm-1524mm

Wall thickness 6mm-50mm

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com
Tel: 0086-21-61182423



specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's service has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

Contact US:

Phone: 0086-18317160019

TEL: 0086-21-61182423

Fax: 0086-21-61182425

E-mail: info@katalor.com

Skype: shanghai.katalor

Address : Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai